

Immunostimulation with Antihomotoxic Medicine

Dr. med. vet. Gunther Löw

Influence of Homoeopathic Remedies on the Cells of the Immune System

Remedy \ Cells	Granulocytes	Lymphocytes
Echinacea compositum	+	+/-
Lachesis compositum	+	+
Engystol	-	+
Traumeel Suis (if acting on immune system)	+	+

Allergy

- Traumeel
- Engystol
- 1-2 x per week over 3-6 months
- Possibly also as progressive auto-sanguis therapy

Procedure with Therapy Blockades

- Progressive auto-sanguis therapy
(in an immunological context)
- Homoeopathically adjusted allopathic remedies
(where excessive administration of allopathic remedies is reported)
- Nosodes
(where an infectious disease is reported)
- Catalysts
(where regulatory rigidity of the ground system is suspected)

Progressive Auto-Sanguis Therapy (1)

- Procedure:
 - ◆ Collection of small quantities of blood
 - ◆ Succussion with the substance
 - ◆ Up to 4-5 stages can be given in one session
 - ◆ Can usually be repeated after about 1 week

- Choice of preparation:
 - ◆ From the general to the particular

Progressive Auto-Sanguis Therapy (2)

- 1st stage: Symptomatic remedy
(Traumeel - inflammation)
- 2nd stage: Intermediary catalyst
(Coenzyme compositum)
- 3rd stage: Drainage remedy
(Lymphomyosot, Galium-Heel)
- 4th stage: Organ preparation
(Cutis compositum – skin disease)
- 5th stage: Nosode
(Psorinoheel - itching)

Note: Animals may be a little calmer for 1-2 days.

Progressive Auto-Sanguis Therapy (3)

E.g. flews eczema, dog:

Washing with Calendula tincture, laser treatment

- 1st stage: Mercurius solubilis Hahnemanni-Injeel
- 2nd stage: Petroleum-Injeel
- 3rd stage: Coenzyme compositum
- 4th stage: Sulfur-Injeel

Summer Eczema: Prophylactic Treatment

- Sulfur comp.-Heel tablets
for 3-4 weeks, 1x daily 10 tablets
from about March/April

Summer Eczema: “Metaphylaxis”

- Desensitization treatment in April (before the season):
 - 5 ml Traumeel + 15 ml autologous blood
Succusion, s.c. injection
- For changes during the season:
 - 5 ml Carduus compositum
+ 5 ml Coenzyme compositum
1 x weekly s.c. for 3 weeks
- Accompanying “summer eczema feed “,
herbal feed with large proportion of stinging nettles

Summer Eczema: Attempt to Treat Severe Symptoms

- Orally:

Graphites-Homaccord
+ Psorinoheel
+ Lymphomyosot

} drops

Mixture ana partes, 1-2 x daily 30 drops

- Locally:

Traumeel T Gel

Periodic Eye Inflammation in Horses

- B-Neuron (Chassot) 25 ml }
+ Tetanusan (Atarost) 25 ml } slow i.v. injection
 - Collection of 5 ml venous blood, succussion with one ampoule each of:
Cornea suis -Injeel forte }
+ Lens suis-Injeel forte } i.m. admin.
+ Corpus vitreum suis-Injeel forte }
- Give the above treatment every 3 days, repeat until improvement seen
- Atropine eye ointment 1%,
Conjunctisan A eye drops, local