

Treatment of Skin and Eye Diseases

Dr. med. vet. Erich Reinhart

Treatment of Summer Eczema

- “Desensitization”
 - ◆ 5 ml Traumeel + 15 ml own blood
 - ◆ Succuss, s.c. injection
- Regulation of metabolism
 - ◆ 5ml Carduus comp. + 5 ml Coenzyme comp.
 - ◆ 1x/week s.c. for 3 weeks
- Modified diet

Treatment of Summer Eczema

- Graphites-HA + Psorinoheel + Lymphomyosot
 - ◆ Give orally
 - ◆ 30 drops 1-2x day
- Apply Traumeel ointment/gel locally
- Prophylactic treatment
 - ◆ Sulfur-Heel tablets orally
 - ◆ 1 tablet a day for 3-4 weeks
 - ◆ Start in about March/April

Preventive Treatment

- Engystol[®] ad us. vet.
 - ◆ Antiinflammatory, cortisone-sparing action in chronic obstructive bronchitis (type I allergy like summer eczema)
 - ◆ Lowers the IgE level (Matusiewicz, 1996)
 - ◆ Stress-relieving action (Kietzmann)
 - ◆ Stimulates lymphocyte proliferation (own research group)
 - ◆ Stimulates the immunomodulator interferon (own research group)

See also Immunodeficiency

Therapy: Preparations (1)

- Aim of treatment:
 - ◆ To activate defence mechanisms
 - ◆ To speed up the neutralization and excretion of the toxins formed
(see also the Six-Phase Table after Reckeweg)

Therapy: Preparations (2)

■ Response

- ◆ Reports of good results with
Traumeel + own blood
(activation of detoxification function)
Carduus comp. + Coenzyme comp.
(stimulation of metabolism) (Dorenkamp 1997)
- ◆ Results of controlled studies with
Traumeel® in vitro and in vivo
in prevention and therapy (own research group)

Therapy: Preparations (3)

- Strong immunostimulant action
 - ◆ Phagocytosis
 - ◆ Lymphocyte proliferation
 - ◆ Interferon formation
 - ◆ Antiinflammatory action

Treatment Plan


1. Therapy after the onset of summer eczema

- ◆ Traumeel + own blood
5 ml of each, mixed, s.c. 1x per week
- ◆ Carduus comp. + Coenzyme comp.
5 ml of each, mixed, s.c. 2x per week


2. Therapy after a break in treatment

- ◆ See above


Severity of Summer Eczema in the Clinical Picture in Horses with Eczema as Regards Itching; n=15




Severity of Summer Eczema in the Clinical Picture in Horses with Eczema as Regards the Area of the Body Surface Affected; n=15



Mean Values for the Proportions of Eosinophils (%) in the Blood of Horses with Eczema Before the Disease, at its Onset and 1, 2, 3 and 4 Weeks after the Start of Treatment with Traumeel and Own Blood, Carduus and Coenzyme comp.; n = 19



Histamine Released as a % of the Total Histamine Content after Stimulation with Culicoides Extract in Icelandic horses with Severe Summer Eczema; n=9




Conclusion

- Treatment concept successful despite unchanged allergen exposure
- Success of healing dependent on
 - ◆ Individual status of the horses (severity of condition, etc.)
 - ◆ Duration of treatment
 - ◆ Allergen exposure (gnats in air, weather, etc.)
- Result of therapy confirmed after a break in treatment

Treatment of Horses with Periodic Ophthalmia (n = 37)

- B-Neuron (Chassot) = vit. B complex
- Tetanusan (Atarost) = mineral complex (Ca, Mg, ...)
- Cornea suis-Injeel forte (Heel)
Lens suis-Injeel forte (Heel)
Corpus vitreum-Injeel forte (Heel)
 - ◆ Together with 5ml own blood
- Repeat treatment every 3 days
- Apply atropine eye ointment locally (1%) 1-2 times/day

Total Results (n = 37)




Increase in the Intervals between Relapses

- 1st interval: $x = 92.8$ days
- 2nd interval: $x = 181.3$ days**
- 3rd interval: $x = 266.8$ days **

** $p > 0.01$

Development of the Intervals between Relapse



Eye Diseases in Small Animals

- Oculoheel eye drops
 - ◆ Sterile single-dose vials
 - ◆ Maximum safety of use
 - ◆ Proven efficacy
 - ◆ Best tolerability
 - ◆ Also for long-term treatment



Homoeopathic Characteristics of the Constituents (1)

- Euphrasia officinalis (eyebright)
 - ◆ Catarrhal conjunctivitis and keratitis
 - ◆ Burning and dryness of the eyes
 - ◆ Sticky and swollen eyelids
- Pilocarpus jaborandi (jaborandi)
 - ◆ Burning and pain in the eyes
 - ◆ Photophobia

Homoeopathic Characteristics of the Constituents (2)

- *Cochlearia officinalis* (scurvy grass)
 - ◆ Antioedematous
 - ◆ Antiseptic
 - ◆ Chronic eye inflammation
- *Echinacea angustifolia* (sampsong)
 - ◆ Antiseptic
 - ◆ For sore and watering eyes